

## Material Safety Data Sheet U.S Department of Labor

May be used to comply with Occupational Safety & Health Administration OSHA's Hazard Communication Standard. (Non-Mandatory Form)  
29 CFR 1910.1200. Standard must be consulted Form Approved for specific requirements. OMB No. 1218-0072

---

IDENTITY (As Used on Label and List) STERI FAB 0

---

### SECTION I: EPA REG NO. 397-13

Manufacturer's Name: NOBLE PINE PRODUCTS CO.  
Address: P.O. BOX 41 - CENTUCK STATION  
YONKERS, NY 10710  
Emergency Telephone Number: 800-424-9300 (Chemtrec)  
Telephone Number for Information: 914-664-5877  
Date Prepared: January 1, 2007

---

### SECTION II: - HAZARDOUS INGREDIENTS/IDENTIFY INFORMATION

Hazardous Components (Specific Chemical Identity; Common Name(s)): ISOPROPANOL  
OSHA PEL: STEL  
ACGIH TLV: 500 PPM  
OTHER LIMITS RECOMMENDED: STEL 500 PPM  
% (OPTIONAL) 60.39

---

### HMIS RATING AS FOLLOWS:

HEALTH: 1  
FLAMMABILITY: 3  
REACTIVITY: 0

SPECIAL PRECAUTIONS: NONE

### SECTION III:- PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: APPROX. 177F  
VAPOR PRESSURE (mm Hg): GREATER THAN 59mm  
VAPOR DENSITY (AIR=1): APPROX. 0.60  
SPECIFIC GRAVITY (H2O=1): LESS THAN 1  
MELTING POINT: N/A  
EVAPORATION RATE (Butyl Acetate=1): LESS THAN 1  
SOLUBILITY IN WATER: DISPERSIBLE  
APPEARANCE AND ODOR: Crystal Clear. Slightly Cloudy on Agitation - Mild Alcohol Odor.

---

### SECTION IV:- FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method Used): ( 83 ° F ) Pensky Martens Closed  
FLAMMABLE LIMITS: For Isopropanol Approx.  
LEL: 2.5%  
UEL: By Volume  
EXTINGUISHING MEDIA: Water or Dry Chemical  
SPECIAL FIRE FIGHTING PROCEDURES: NONE  
UNUSUAL FIRE & EXPLOSION HAZARDS: Flammable Upon Application Of An Ignition Source.

---

### SECTION V:- REACTIVITY DATA

STABILITY: STABLE

INCOMPATIBILITY (Materials to Avoid) : Acid Materials Or Strong Oxidizing Agents.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: N/A

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR\_\_\_\_\_

SECTION VI: - HEALTH HAZARDS DATA (SF)

ROUTE(S) OF ENTRY:

INHALATION: YES

SKIN: YES

INGESTION: UNLIKELY IN APPLICATION

HEALTH HAZARDS (Acute and Chronic):

- HARMFUL IF SWALLOWED.
- AVOID INHALATION OF VAPORS.
- AVOID CONTACT WITH SKIN AND EYES.
- WASH CONTAMINATED SKIN PROMPTLY WITH SOAP & WARM WATER.
- CONSULT PHYSICIAN IF IRRITATION PERSISTS.

---

CARCINOGENICITY: NO

NTP? NO

IARC MONOGRAPHS? NO

OSHA REGULATED? NO

---

SIGNS AND SYMPTOMS OF EXPOSURE: N/A

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N/A

EMERGENCY & FIRST AID PROCEDURES: Flush Eyes or Skin With Plenty Of Water For At least 15 minutes. For Eyes Get Medical Attention. For Inhalation: Remove from Exposure.

---

SECTION VII:- PROCEDURES FOR SAFE HANDLING & USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

- Flush Area With Plenty Of Water.

WASTE DISPOSAL METHOD:

- Dilute And Discharge In Accordance With Local, State, And Federal Regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

- Store in Cool Dry Place.
- Keep Containers Closed And Away From Heat or Flame.

OTHER PRECAUTIONS:

- Do Not Use Or Store Near Open Flame.

---

SECTION VIII:

CONTROL MEASURES:

- None Required If Good Ventilation Is Maintained.

---

RESPIRATORY PROTECTION (specific Type)

• If Required, OSHA/NIOSH Approved Breathing Apparatus.

---

VENTILATION

LOCAL EXHAUST: Apply In Well Ventilated Area.

SPECIAL: N/A

MECHANICAL(General) N/A

OTHER N/A

PROTECTIVE GLOVES: NONE REQUIRED

EYE PROTECTION: NONE REQUIRED

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NONE REQUIRED

WORLD/HYGIENIC PRACTICES: N/A\_\_\_\_\_